

ARS

HINTS

Remember that a stringed instrument is made of wood and therefore very sensitive to changes in temperature, especially in the winter.

If you take your instrument out wintertime, cover it carefully.

A badly covered instrument can easily crack if exposed to strong cold.

Never place your instrument close to a radiator, stove or fireplace.

Never hang your instrument on an outer wall. If you have been out in the rain with your instrument, wipe it carefully when you get home.

Never let your instrument stand in a damp case. Tighten the small screws holding the cog wheel on the tuning head. These easily work loose.

Should the tone of your instrument deteriorate, this is usually due to having used the strings too long. Change strings at least twice a year.

Always screw a string up to the required pitch, never down. If the tone is too high, pull the string or screw it down too far and then screw it up again. Your instrument will stay in tune longer then.

Follow these bints if you want to avoid unnecessary repairs.



is a Swedish string of high quality with a clear and beautiful tone. Both the plain and wound strings are made of stainless steel. Ultratone is therefore specially suitable for those who are troubled by damp hands or who play out of doors. Ordinary strings usually rust easily under such circumstan-



ces. Stainless steel wire is very strong in wear and this makes the Ultratone exceedingly economical in use. Ultratone can be supplied for the following instruments:

> Orchestra Guitars Spanish Guitars Mandolins

Premax



is also a Swedish quality string for guitars and similar instruments. Premax is bronze wire covered, clear and sweet in tone. Premax can be supplied for the following instruments:

> Orchestra Guitars Spanish Guitars Mandolins Tenor Mandolas Octave Mandolas

GUARANTEE

We guarantee that every Levin Instrument is carefully adjusted, built of the finest materials and with the best workmanship.

We guarantee to repair without cost any defect which may arise during the time of this guarantee, if the instrument will be sent to our factory. All freight and packing expenses to be paid by the owner of the instrument. This guarantee does not cover normal wear and tear, nor damages which have arisen through carelesness or accident.

AB. HERMAN CARLSON LEVIN

MUSICAL INSTRUMENT FACTORY

GOTHENBURG -- SWEDEN

HINTS

Remember that a stringed instrument is made of wood and therefore very sensitive to changes in temperature, especially in the winter.

If you take your instrument out wintertime, cover it carefully.

A badly covered instrument can easily crack if exposed to strong cold.

Never place your instrument close to a radiator, stove or fireplace.

Never hang your instrument on an outer wall. If you have been out in the rain with your instrument, wipe it carefully when you get home.

Never let your instrument stand in a damp case. Tighten the small screws holding the cog wheel on the tuning head. These easily work loose.

Should the tone of your instrument deteriorate, this is usually due to having used the strings too long. Change strings at least twice a year.

Always screw a string up to the required pitch, never down. If the tone is too high, pull the string or screw it down too far and then screw it up again. Your instrument will stay in tune longer then.

Follow these hints if you want to avoid unnecessary repairs.

The Sonett

6-stringed Lute with flat back.

Top of beautiful spruce, back and sides of maple, fingerboard of ebony.

The neck is re-inforced with a duralumin T-rod.

Narrow black and white inlays round the sound hole and the outer edge of the top.


The back, sides and neck are highly polished in a beautiful golden brown colour. The top is highly polished in the natural colour of the wood.

Specially constructed bridge of rosewood with white pins. Nickel-plated tuning heads.

1 Year's Guarantee.

Length 36½ "
Length of body .. 18½ "
Width of body .. 13¾6"
Length of scale .. 227/8 "

Canvas cover with zipfastener, flannel lined. No. 224.



The Revue

6-stringed Lute with flat back.

Top of spruce, back, sides and neek of mahogany. Fingerboard of rosewood.

Black and white celluloid inlays round sound hole and outer edge of top.

The back, sides and neck are highly polished in a redbrown mahogany colour. The top is highly polished in the natural colour of the wood.

Bridge of rosewood with white pins. Nickel-plated tuning heads.

1 Year's Guarantee.

Canvas cover with zipfastener, flannel lined. No. 226.



The Opera

6-stringed Lute with 7 ribs swelled back.

Top of beautiful spruce, back and sides of maple. Fingerboard of ebony.

The neck is re-inforced with a duralumin T-rod.

Narrow black and white inlays round the sound hole and the outer edge of the top.


The back, sides and neck are highly polished in a beautiful golden red colour. The top is highly polished in the natural colour of the wood.

Specially constructed bridge of rosewood with white pins. Nickel-plated tuning heads.

1 Year's Guarantee.

Length 38⁵/s" Length of body . 20" Width of body . 13³/₄" Length of scale . 24³/₄"

Canvas cover with zipfastener, flannel lined. No. 222.



The Troubadour

12-stringed Lute with 7 ribs swelled back.

The top is made of old, well-seasoned spruce. Back and sides of beautiful flamed maple. Neck of hard maple and fingerboard of ebony.

The neck is re-inforced with a duralumin T-rod.

Narrow black and white inlays round the sound hole and the outer edge of the top.

The back, sides and neck are highly polished in a beautiful golden red shade. The top is highly polished in the natural colour of the wood.

Specially constructed bridge with white pins. Nickel-plated tuning heads:

10 Years' Guarantee.

Length 43½"

Length of body . . 20⁷/s"

Width of body . . 14¾"

Length of scale . . 21½"

Case No. 160.

Canvas cover with zipfastener, flannel-lined. No. 220.



The Artist

12-stringed Lute with 7 ribs swelled back

Top of beautiful spruce, back, sides and neck of maple. Fingerboard of ebony.

The neck is re-inforced with a duralumin T-rod.

Narrow black and white inlays round the sound hole and the outer edge of the top.

The back, sides and neck are satinfinished in a redbrown antique colour. The top satinfinished in a goldenbrown antique colour.


Specially constructed bridge with white pins. Nickel-plated tuning heads.

10 Years' Guarantee.

Length $43\frac{1}{3}$ "
Length of body ... $20\frac{7}{8}$ "
Width of body ... $14\frac{3}{4}$ "
Length of scale ... $21\frac{1}{2}$ "

Case No. 160.

Canvas cover with zip-fastener, flannel lined. No. 220.



The Madrid

oloist Model.

The Madrid is specially made for the conert playing solo guitarist. The neck is built or melody playing and has an extra broad ingerboard.

The top is made of old, well seasoned pruce. Back and sides of fine white maple. The neck is made of mahogany with black-white-black center wood strip. Fingerboard of ebony.

The neck is re-inforced with a duralumin f-rod.

Sober marquetry inlays round the sound tole. Narrow black and white inlays round he top, back and sides.

The whole instrument is brilliantly polished in the beautiful colour of the wood.

Special bridge of rosewood in Spanish style. Nickel-plated tuning heads with white galalith string posts.

O Years' Guarantee.

ength			 3834"
.ength	of	body	 191/s''
Vidth	of	body	 $14^{3}/s''$
.cnoth	οÊ	scale	255/8"

Case No. 150.

Canvas cover with zipastener, flannel lined.

No. 210.

The Tarragona

Soloist Model.

The Tarragona is specially made for the concert playing solo guitarist. The neck is built for melody playing, with an extra broad fingerboard.

The top is made of old, well seasoned spruce. Back and sides of beautifully figured mahogany. The neck is made of mahogany with black-white-black center wood strip. Fingerboard of ebony.

The neck is re-inforced with a duralumin T-rod.

Beautiful marquetry inlays round the sound hole. Narrow black and white inlays round top and back.

The back, sides and neck are highly polished in a pleasing mahogany shade. The top is highly polished in the natural colour of the wood.

Special bridge of rosewood in Spanish style. Nickel-plated tuning heads with white galalith string posts.

10 Years' Guarantee.

Length	38%"
Length of body	$19^{1}/s''$
Width of body	14 3/5"
Length of scale	25 1/s"

Case No. 150.

Canvas cover with zip-fastener, flannel lined.

No. 210.



he Barcelona

rge Spanish Model.

Top of beautiful selected spruce, Back and es of finely figured mahogany. Mahogany ck with black wood center strip. Fingerard and peg head of best rosewood.

The neck is re-inforced with a duralumin rod.

Black and white inlays round the sound le and outer edge of the top. Black cellud inlays round top and back.

The back, sides and neck are highly poned in a beautiful redbrown colour. The is highly polished in the natural colour the wood.

Bridge of rosewood, anish style. Nickelited tuning heads with ite galalith string posts.

Years' Guarantee.

ngth of body .. 385/s" ngth 18⁷/s" idth of body .. 15😘 ngth of scale .. 2434"

se No. 152.

lanvas cover with ziptener, flannel lined.

o. 212.

The Ambassador

Large Spanish Model.

Top of choice selected spruce. Back and sides of walnut. Mahogany neck with black wood center strip. Fingerboard of rosewood.

The neck is re-inforced with a duralumin T-rod.

Black and white celluloid inlays round the sound hole and the outer edge of the top. White celluloid inlays round top, back, fingerboard and peghead.

The whole instrument is highly polished in a beautiful redbrown colour with light shading on top, back, sides and neck.

Bridge of rosewood with white pins. Nickelplated tuning heads.

10 Years' Guarantee.

Length 385/s" Length of body . . 187/s" Width of body . . 1534" Length of scale .. 2481"

Case No. 152.

Canvas cover with zipfastener, flannel lined.

No. 212.



The Ambassador

Large Spanish Model.

Top of choice selected spruce. Back and sides of walnut. Mahogany neck with black wood center strip. Fingerboard of rosewood.

The neck is re-inforced with a duralumin T-rod.

Black and white celluloid inlays round the sound hole and the outer edge of the top. White celluloid inlays round top, back, fingerboard and peghead.

The whole instrument is highly polished in a beautiful redbrown colour with light shading on top, back, sides and neck.

Bridge of rosewood with white pins. Nickelplated tuning heads.

10 Years' Guarantee.

Length 385/s" Length of body . . 187/s" Width of body . . 153/4" Length of scale . . 243/1"

Case No. 152.

Canvas cover with zip-fastener, flannel lined.

No. 212.



The Princess

Spanish Model.

Top of choice selected spruce. Back, sides and neck of mahogany. Fingerboard of rose-wood.

White and black celluloid inlays round sound hole and outer edge of top. White celluloid inlays round top, back, fingerboard and peghead.

Back, sides and neck highly polished in light mahogany colour. Top highly polished in the natural colour of the wood.

Bridge of rosewood with white pins. Nickelplated tuning heads.

1 Year's Guarantee.

Length 37¾ "
Length of body . . 18½ "
Width of body . . 14¾16"
Length of scale . . 24¾ "

Canvas cover with zipfastener, flannel lined.

No. 214.

Canvas cover, bag shape.

Lined No. 250. Unlined , 260.



The Senorita

Small Spanish Model.

Top of spruce. Back, sides and neck of mahogany. Fingerboard and peghead of rose-wood.

Black and white celluloid inlays round the sound hole and the outer edge of the top. Black celluloid inlays round top and back.

The back, sides and neck are highly polished in a light colour. The top is highly polished in the natural colour of the wood.

Bridge of rosewood, Spanish style. Nickelplated tuning heads.

1 Year's Guarantee.

Canvas cover with zip-fastener, flannel lined.

No. 218.

Canvas cover, bag-shape.

Lined No. 254. Unlined ,, 264.



The Ideal

Standard Model.

Top of spruce. Back and sides of flamed birch, fingerboard of walnut. Black and white inlays round top, black back edge. Highly polished in a beautiful golden red colour with the top polished in the natural colour of the wood. Nickel-plated tuning heads.

1 Year's Guarantee.

Canvas cover with zip-fastener, flannel-lined. No. 216.

Canvas cover, bag-shape.

Lined No. 252. Unlined ,, 262.

The Amateur

Standard Model.

Top of spruce. Back and sides of birch, finger board of walnut. White inlays round top, back and sound hole. Highly polished in a dark redbrown colour with shading on top. Nickel-plated tuning heads.

1 Year's Guarantee.

Length							.3714"
Length	of	body	,		,		$18^{1}/s^{2}$
Width	of	body					$12^{3}/s''$
Length	of	scale					14%"

Canvas cover with zip-fastener, flannel lined. No. 216.

Canvas cover, bag shape. Lined No. 252, Unlined No. 262.





ne Rio

rish Model.

op of spruce. Back and sides of birch. gerboard of rosewood.

Thite celluloid inlays round top, back and d hole.

he whole instrument is highly polished in ark redbrown colour with golden yellow ling on the top and neck.

ridge of rosewood, Spanish type. Nickeled tuning heads.

ear's Guarantee.

gth $37\frac{3}{4}$ "
gth of body ... $18\frac{1}{2}$ "
th of body ... $14\frac{3}{16}$ "
gth of scale ... $24\frac{3}{4}$ "

anvas cover with zipener, flannel lined.

214.

anvas cover, bag-shape

ed No. 250. ined ,, 260.



The Rio

Spanish Model.

Top of spruce. Back and side: Fingerboard of rosewood.

White celluloid inlays round tor sound hole.

The whole instrument is highly a dark redbrown colour with golshading on the top and neck.

Bridge of rosewood, Spanish typplated tuning heads.

1 Year's Guarantee.

Length 373/4 "

Length of body . . 18½ " Width of body . . 14³/16"

Length of scale . . 243/4 "

Canvas cover with zip-fastener, flannel lined.

No. 214.

Canvas cover, bag-shape

Lined No. 250.

Unlined " 260.

The Diplomat

Spanish Model.

Top of fine spruce. Back and sides of flamed birch. Fingerboard of rosewood.

White and black celluloid inlays round sound hole. White celluloid inlays round top, back and fingerboard.

The whole instrument is highly polished in a pleasing redbrown colour with golden yellow shading on top, back, sides and neck.

Bridge of rosewood with white pins. Nickelplated tuning heads.

1 Year's Guarantee.


Length 37³/₄ " Length of body .. 18¹/₂ " Width fo body .. 14³/₁₆" Length of scale .. 24³/₄ "

Canvas cover with zipfastener, flannel lined.

No. 214.

Canvas cover, bag shape.

Lined No. 250. Unlined , 260.



The Carmen

Spanish Model.

Top of fine spruce. Back, sides and neck of mahogany. Fingerboard and peghead of rosewood.

Black and white celluloid inlays round sound hole and outer edge of top. Black celluloid inlays round top and back.

The back, sides and neck are highly polished in a pleasing redbrown colour. The top is highly polished in the natural colour of the wood.

Bridge of rosewood, Spanish type. Nickelplated tuning heads.

1 Year's Guarantee.

Length 38³/16" Length of body .. 18¹/₂" Width of body .. 14³/16" Length of scale .. 24³/₁"

Canvas cover with zipfastener, flannel lined.

No. 214.

Canvas cover, bag shape.

Lined No. 250. Unlined ,, 260.

